no-fog
Face Mask

HOBBY LOBBY ®

Glasses Wearers Unite!

Here's a mask design that will finally keep lenses from fogging up. This quick DIY (complete with sewing template!) adds an additional pocket of fabric around the nose to stop air from leaking through the top. Grab some fabric, fusible interfacing and elastic to get started!

SUPPLIES:

- ¼ yd Fabric
- ¼ yd Fusible interfacing
- ⅛" Braided elastic
- Scissors
- Iron
- Fabric marker
- Pins
- Thread
- Sewing machine

STEPS:

1. Cut two pieces of fabric and one piece of interfacing according to template. Cut two 7" pieces of elastic. Iron interfacing onto one of the fabric pieces.

2. Referring to template, mark elastic placement on each side and pin elastic at marks.

3. Place pieces of fabric right sides together. Sew around edges and over elastic, leaving 2" open space for turning.

4. Turn piece right side out, sew closed and iron. Stitch ⅛" from top and bottom edges.

5. Fold top of piece 1½" and bottom of piece 1¾" towards center. Pin to secure. Stitch around piece ⅛" from edges. On top edge, mark ¼" from center on both sides.

6. Stitch diagonally from marks to folded corners.

STITCH

STITCH

1 ⅝"

FOLD HERE

ELASTIC

ELASTIC

CUT 2 FABRIC
CUT 1 INTERFACING

FOLD HERE

ELASTIC

ELASTIC

2"

⅜" SEAM ALLOWANCE

8"

8"

For full-size template, cut out all pieces

Align arrow ends and tape template together

STITCH

FOLD HERE

ELASTIC

CUT 2 FABRIC
CUT 1 INTERFACING

FOLD HERE

ELASTIC

⅜" SEAM ALLOWANCE

NO-FOG FACE MASK

For full-size template, cut out all pieces
Align arrow ends and tape template together

STITCH

ELASTIC

ELASTIC

1 5/8"

2"

⅜" SEAM ALLOWANCE