

headbands & SCRUNCHIES


CREATE A STATEMENT
HAIR ACCESSORY IN A
FEW EASY STEPS!
DETAILS INSIDE.



HOBBY LOBBY®

SCRUNCH TIME

For adding flair to ponytails and updos, look no further than this DIY scrunchie with tails.



Tip: Step up a simple scrunchie with a removable wired tail. Twist it on or off to swap out different sizes, mix and match patterns or go tail-free for the day.

SCRUNCHIE SUPPLIES

You will need: fabric, fabric scissors, pins, thread, sewing machine or needle, braided elastic, wire, template.



STEP 1

Cut 18" x 4" strip of fabric and set aside. Then cut two tail pieces, using template.

STEP 2

Fold over 18" x 4" strip, right sides together, with long edges even. Pin and stitch along edge. Then pin tail pieces, right sides together, leaving gap in middle for turning.



STEP 3

Cut wire to length of tail piece and form ends into loops. Insert into tail piece. Stitch to close opening, and stitch over looped ends of wire to hold wire in place.



STEP 4

Insert elastic into strip and cut to desired length, scrunching fabric to fit. Stitch ends of elastic together. Sew edges of fabric together.

STEP 5

Tie wired tail piece to scrunchie. Bend tail into desired shape.



HEAD TURNER

A looped wire running through this headband keeps your hairstyle in place. Just twist the ends together and bend them into shape — no tying, no fuss. Flip to the back for the detailed how-to.



HEAD OF FLAIR

Get this ruched look with a strip of fabric, some fabric glue and a standard headband — no thread or needle required.

WIRED HEADBAND SUPPLIES

See cover for finished project.

You will need: fabric, fabric scissors, wire, wire cutters, sewing machine, thread, needle.



STEP 1

Cut two 2 ½" by 30 ½" strips of fabric. Cut slant on ends.



STEP 2

Cut two pieces of wire the same length as the fabric plus ¾" overhang. Form ends into loops.



STEP 3

Place strips of fabric right sides together. Sew together ¼" around edges, leaving small space open on long sides to insert wire. Turn piece right side out. Press and top stitch all around ⅛" from edge.




STEP 4

Insert wire into headband. Hand stitch to close.



NO-SEW HEADBAND SUPPLIES

You will need: fabric, headband, fabric glue, ruler, rotary cutter, cutting mat.



STEP 1

Cut out 5" x 24" strip of fabric.



STEP 2

Fold fabric into tube shape, with right side of fabric on inside. Glue to secure, leaving unglued gap in center to insert headband.



STEP 3

Turn right-side out and insert headband.



STEP 4

Glue center gap closed. Fold ends of fabric around headband and secure with glue.

SCRUNCHIES

SCRUNCHIE TAILS

SCALED AT 100%

